

NEW 2018 CATALOGUE

P

4

-

Safety Signs Traffic Signs Safety Lockout

0

ς.

.

7



We offer a full range of safety signage for all applications. With a wide range of standard designs and the ability to customise to suit specific needs nothing is out of reach. Our most popular materials are 2mm Rigid PVC, Self-Adhesive Vinyl Stickers or 4mm Aluminium Composite Material (ACM), but we can also offer 1.2mm Electro-galv steel for Magnetic receptive signs, 5mm Corflute for Promotional / Short Term signage and many other substrates if required. All our signage is manufactured using Premium European Vinyl's and Overlaminates to give a 5 year outdoor Durability, we can also offer 7 - 10 year options if required. With many different options of Over laminate you can tailor the finish & performance of your signage to each application, maximising the impact while ensuring that the performance is not compromised. Laminates include Clear Gloss, Clear Matte, Whiteboard Surface, Anti-Skid, Anti-Graffiti and a range of Translucent Colours used in conjunction with a high Grade reflective. All these options are backed by our comprehensive warranty and are usually dispatched with 24 hours of confirmation of order or proofs.



We manufacture all Traffic signs to NZTA specifications, using approved Reflective materials and Designs. We can also offer a full range of Mounting Brackets, Poles and accessories for Permanent signs and can source Temporary Sign stands, Cones and other Traffic control products as required. Along with the standard range of Traffic Signage we also specialise in producing custom signage for the Forestry & Heavy Construction Industries for off road use. These custom signs are designed with a similar format to regular Traffic signs to ensure that both the impact is maximised and they can be easily fitted to standard Traffic sign stands. Our strength is our flexibility & Production Speed with this range, we can offer Logo printing on these signs with no set up cost and no minimum quantity, and can produce your order and dispatch with 24-48 hours in most situations.



We stock a comprehensive range of Safety Lockout Products to allow for small through to complex lockout requirements. From small contractors packs to highly customised systems for High Risk environments we have the range to cater for all your requirements. We stock a wide range of padlocks, with multiple colour options and both Keyed Alike and Keyed Different configuration. We can also customise packages utilising keyed alike groups and master keys to enable complex multi-level lockout abilities. With our in house printing capabilities we can also provide Padlocks with individual Names & Photo ID stickers. Aside from our stocked range of Padlocks, Electrical Lockouts, Valve Lockouts, Key Cabinets, Lockout Stations, Tags and Universal type lockouts, we can also special order many other more specialised products on demand.

4 Section 1 - In2safe Safety Signs

CONTENTS

- 5 CAUTION SIGNS
- 11 DANGER SIGNS
- 17 EXIT SIGNS

2


- 21 FIRE SIGNS
- 23 FIRST AID SIGNS
- 25 FLOOR & FOOTPATH SIGNS
- 27 GENERAL SIGNS
- 38 HAZARD BOARDS
- 44 HAZCHEM SIGNS
- 47 DIESEL TANK STICKERS
- 48 HYGIENE & DISABILITY SIGNS
- 55 MANDATORY SIGNS
- 50 NOTICE SIGNS
- 53 PROHIBITION SIGNS
- 58 SECURITY SIGNS
- 59 TRAFFIC SIGNS
- 63 WARNING SIGNS
- 65 FORESTRY SIGNAGE
- 66 SIGN MOUNTING HARDWARE

Section 2 - In2safe Traffic Signs


- 70 TEMPORARY TRAFFIC SIGNS
- 72 OVER DIMENSION SIGNAGE
- 74 TRAFFIC CONTROL
- 75 HPMV & 0800 LOG TRUCK SIGNS
- 76 TRANSPORT & MACHINE STICKERS

77 Section 3 - In2safe Safety Lockout

- 78 LOCKOUT PADLOCKS
- 83 LOCKOUT VALVES
- 85 LOCKOUT HASPS
- 87 ELECTRICAL LOCKOUT
- 89 BAGS & KEY STATIONS
- 90 LOCKOUT & PADLOCK STATIONS







DESIGN YOUR OWN CUSTOM CAUTION SIGNS

TY SIGNAGE



VC7000



VC7500



VC7600



VC7700



VC7800

Available in the following Sizes;

M - 150 x 200mm, A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm, Y - 900 x 1200mm. Available in the following Materials;

CAUTION SIGNS

A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker).

Available in the following Sizes;

M - 200 x 150mm, A - 300 x 225mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm, Y - 1200 x 900mm. Available in the following Materials;

A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker).

Available in the following Sizes;

M - 200 x 150mm, A - 300 x 225mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm, Y - 1200 x 900mm. Available in the following Materials;

A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker).

Available in the following Sizes;

- O 75 x 75mm, G 100 x 100mm, L 150 x 150mm, R - 200 x 200mm, Z - 300 x 300mm, W - 400 x 400mm
- Available in the following Materials;
- S SAV (Self Adhesive Vinyl Sticker).

Available in the following Sizes;

O - 75 x 75mm, G - 100 x 100mm, L - 150 x 150mm,

R - 200 x 200mm, Z - 300 x 300mm, W - 400 x 400mm <u>Available in th</u>e following Materials;


5

S - SAV (Self Adhesive Vinyl Sticker).

2



STANDARD ICONS AVAILABLE



TO ORDER: When placing your order please reference the product code off the opposing page followed by the letter to designate Size and then the letter to designate Material. The Size and Material options are noted next to each template on the opposite page. Then note the Icon you require using the codes above and finally the Text that you require on the sign.

For example the custom 300x400mm PVC sign to the right would be specified in the following manner;

VC7000BP - VC08 - "Aircraft Passing Overhead"








TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC

7


Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VC7003BP

SAFETY SIGNAGE



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VC7059BP





TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VC7063BP

CAUTION CONSTRUCTION SITE AUTHORISED PERSONNEL ONLY

CONTACT DETAILS:	BUSINESS NAME:		SITE SUPERVISOR
SITE ADDRESS:	BUSINESS NUMBER:		SITE SUPERVISOR NUMBER:
CURRENT SITE HAZAR	DS CHECK	ACTION T	AKEN (TO BE TAKEN)

INOSAFE VHB7010

JTHORISED PERSONNE BUSINESS NAME SITE SUPERVISOR CONTACT DETAILS: SITE ADDRES IESS NI IMBEE SITE SUPERVISOR NUMBER **CONTROLS REQUIRED** SITE HAZARDS Visitors/Contractors Everyone must be inducted to the work site or property, Slips, Trips & Falls Keep work area clean & tidy / Wear appropriate footwear Quad Bikes/Motor Bikes Do not use without permission or training Heavy Machinery Keep clear / Stay visible to operator. Do not use without permission or training Power/Hand Tools Noise Keep clear / Wear appropriate hearing protection. Keep well clear of animals. Animals Hazardous Substances Avoid contact with unidentified substances Open Water Ways Identify all open water ways / Supervise children Electricity Treat all fences as live. Wear appropriate clothing and PPE / Drive to the conditions Weather >> Make site safe, eq. shutd 0 >> Provide first aid & Call 111 VHB7019

VHB7010 600x800mm ACM - Standard Laminate Finish

VHB7010WB 600x800mm ACM - Whiteboard Laminate Finish VHB7019 600x800mm ACM - Standard Laminate Finish

VHB7019WB 600x800mm ACM - Whiteboard Laminate Finish

See Pages 28, 29 & 30 for more Site Hazard Boards



CAUTION SLIPPERY FLOOR VC7501	CAUTION PINCH POINT CAN CAUSE SEVERE PERSONAL INJURY VC7502	CAUTION DO NOT USE DEFECTIVE PALLETS VC7503	CAUTION MULTIPLE HAZARD AREA PROCEED WITH CARE VC7504	CAUTION DO NOT OPERATE THESE MACHINES WITHOUT GUARDS IN PLACE VC7505
CAUTION KEEP CLEAR VC7506	VC7502	CAUTION LOW HEAD ROOM	VC7509	VC7505
CAUTION KEEP HANDS CLEAR VC7511	CAUTION OPEN PIT VC7512	CAUTION OPEN PIT VC7513	CAUTION WATCH YOUR STEP VC7514	CAUTION WATCH THE STEP VC7515
CAUTION RISK OF ELECTRIC SHOCK VC7516	CAUTION FALLING DEBRIS VC7517	CAUTION THIS AREA IS PRONE TO FLOODING VC7518	CAUTION OVERHEAD CRANE VC7519	CAUTION HEAVY VEHICLES VC7520
CAUTION TRUCKS CROSSING VC7521	CAUTION RADIOACTIVE SOURCE MUST BE SHUT OFF BEFORE ENTERING VESSEL VC7522	CAUTION MACHINERY OPERATING VC7523	CAUTION MOVING VEHICLES VC7524	CAUTION CAUTION Beware of Moving Machinery Eutoren Must Bater Mised Atall Times Stor 525

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 400 x 300mm PVC Sign code would look like VC7516BP



VFG7010 - Anti Skid Floor Graphic - 600x100mm



VFG7011 - Anti Skid Floor Graphic - 600x100mm


Anti-skid Floor Graphics are for use when there is no space for conventional signage. They are supplied as a self adhesive sticker and have a very strong adhesive which will adhere to all regular floor surfaces including carpet. The surface is a non-slip and is suitable for high traffic areas.

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776

DESIGN YOUR OWN CUSTOM DANGER SIGNS

SIGNAG

DANGER SIGNS



TO ORDER: When placing your order please reference the product code, followed by the letter to designate Size and then the letter to designate Material. The Size and Material options are noted next to each template. Then note the Text that you require on the sign.

For example the custom 400x300mm PVC sign to the right would be specified in the following manner;

VD7500BP - "This is an Example Sign"



DANGER SIGNS





TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VD7004BP



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VD7503BP

ZINOSAFE SAFETY SIGNAGE

DANGER SIGNS



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VD7548BP

NOSAFE SAFETY SIGNAGE



DANGER SIGNS

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VD7579BP

A INOSAFE SAFETY SIGNAGE

DANGER SIGNS



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VD7593BP



DANGER UNSTABLE GROUND

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776

A INOSAFE SAFETY SIGNAGE

EXIT SIGNS



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. N - 300 x 150mm, S - 400 x 200mm, J - 600 x 300mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 150mm PVC Sign code would look like VE7501NP



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VE7502BP



TO ORDER: When placing an order reference the product code followed by the letter to specify the size of the sign. T - 450 x 200mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 450 x 200mm PVC Sign code would look like VE7530TP



1

18



VE7543

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. M - 150 x 200mm, A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm

EMERGENCY EXIT

VE7521

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. Z - 400 x 100mm, Q - 600 x 150mm



VE7526

TO ORDER: When placing an order reference the product code followed by the letter to specify the size of the sign. K - 300 x 100mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 150 x 200mm PVC Sign code would look like VE7529MP

LUMINOUS EXIT SIGNS



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. N - 300 x 150mm, S - 400 x 200mm, J - 600 x 300mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 150mm PVC Sign code would look like VE7601NP



Exit Signs to meet NZBC F8

Since April 2012 the Building Code Acceptable Solution for emergency exit signage (F8/AS1) has allowed photoluminescent ("PL") exit signs to be used wherever "illuminated exit signs" are required.

There are strict performance requirements specified in F8/AS1 that make sure the PL signs will meet all the requirements of the NZ building code. To the best of our knowledge, Ecoglo signs are the only PL signs available in New Zealand that are bright enough to meet F8/AS1.

Ecoglo's Emergency Exit Signs are manufactured and tested to comply with F8/AS1. They are also designed to be used in engineered solutions to meet building codes in Australia, New Zealand and any performance based jurisdiction around the world.

Ecoglo's high visibility and durability ensure that the signs can be installed in any environment, indoors or outdoors. As long as there is sufficient natural or artificial light to charge the signs then a system can be engineered to meet building code performance specifications.



Exit Exit straight on from here Code: VE7700 - Max Viewing Distance 16M Size: 230x133mm Code: VE7701 - Max Viewing Distance 24M Size: 230x162mm



Arrow Travel in this direction Code: VE7721 - Max Viewing Distance 16M Size: 133x133m - Use with VE7700

Size: 133x133m - Use with VE7700 Code: VE7711 - Max Viewing Distance 16M Size: 162x162mm - Use with VE7701 & VE7702 Code: VE7712 - Max Viewing Distance 24M Size: 230x230mm - Use with VE7703



Pictogram Double Arrow Hi Vis Exit right or left from here Max Viewing Distance 16M, Size: 290x162mm Single Sided Code: VE7719 Double Sided Code: VE7719D Max Viewing Distance 24M, Size: 420x230mm Single Sided Code: VE7720D Double Sided Code: VE7720D



Pictogram Uni Exit straight on from here Code: VE7702 - Max Viewing Distance 16M Size: 162x162mm Code: VE7703 - Max Viewing Distance 24M Size: 230x230mm



Pictogram Right Exit right from here

Max Viewing Distance 16M, Size: 290x162mm Single Sided Code: VE7706 Double Sided Code: VE7706D Max Viewing Distance 24M, Size: 420x230mm Single Sided Code: VE7707 Double Sided Code: VE7707D



No Exit Do not use door to exit in an emergency Code: VE7710 - Max Viewing Distance 16M Size: 410x133mm



Pictogram Exit straight on from here Code: VE7713 - Max Viewing Distance 16M Size: 290x162mm Code: VE7714 - Max Viewing Distance 24M Size: 420x230mm



Pictogram Left Exit left from here Max Viewing Distance 16M, Size: 290x162mm Single Sided Code: VE7704 Double Sided Code: VE7704D Max Viewing Distance 24M, Size: 420x230mm Single Sided Code: VE7705 Double Sided Code: VE7705D



Pictogram Hi Vis Exit straight on from here Code: VE7715 - Max Viewing Distance 16M Size: 290x162mm Code: VE7716 - Max Viewing Distance 24M Size: 420x230mm



Pictogram Double Arrow Exit right or left from here

Max Viewing Distance 16M, Size: 290x162mm Single Sided Code: VE7717 Double Sided Code: VE7717D Max Viewing Distance 24M, Size: 420x230mm Single Sided Code: VE7718 Double Sided Code: VE7718D



Emergency Exit

Use this door only to exit in an emergency Code: VE7708 - Max Viewing Distance 16M, Size: 610x280mm Code: VE7709 - Max Viewing Distance 24M, Size: 785x350mm







FIRE SIGNS



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC

Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VF7007BP



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. M - 200 x 150mm, A - 300x 225mm, B - 400 x 300mm, C - 600 x 450mm, D - 600 x 800mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 400 x 300mm PVC Sign code would look like VF7201BP



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. N - 150 x 300mm, S - 200 x 400mm, J - 300 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 200 x 400mm PVC Sign code would look like VF7014SP



FIRE SIGNS



TO ORDER: When placing your order please reference

the product code followed by one of the following letters to

400 x 400mm

VF7002GP

specify the size of the sign. O - 75 x 75mm, G - 100 x 100mm, L - 150 x 150mm, R - 200 x 200mm, Z - 300 x 300mm, W -

Then add a second letter as follows to specify the material.

A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 100 x 100mm PVC Sign code would look like





TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. Z - 130 x 350mm

Then add a second letter to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 130 x 350mm PVC Sign code would look like VF7012ZP



TO ORDER: When placing your order please reference the product code followed the following letter to specify the size of the sign. Z - 230 x 230 mm Triangle

Then add a second letter as follows to specify the material. P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 230 x 230 x 230mm PVC Sign code would look like VF7101ZP

FIRE WARDEN ARM BANDS & VESTS



24

Hi Vis Vest with Fire Warden Logo PCV1506-FLYE - Yellow PCV1506-FLOR - Orange

Available in the following Sizes XXXS , XXS, XS, S – 6XL & 8XL



Hi Vis Arm Bands with Velcro Strap PCA1000-YE - Yellow PCA1000-OR - Orange



Reversed Fire Extinguisher Sticker - For inside Vehicle windows to indicate the position of the Fire Extinguisher

VF7002IS - 75x75mm

For Fire Exit signs see Pages 16 & 18

IN2SAFE SAFETY SIGNAGE

FIRST AID SIGNS



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VF7500BP


FIRST AID SIGNS



ETY SIGNAGE

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VF7527BP



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. O - 75 x 75mm, G - 100 x 100mm, L - 150 x 150mm, R - 200 x 200mm, Z - 300 x 300mm, W - 400 x 400mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 100 x 100mm PVC Sign code would look like VF7510GP



FLOOR SIGNS - BANANA CONE

THE REVOLUTIONARY BANANA CONE!

CAUTION! 600mm WET FLOOR

The glossy yellow Banana Cone[™] is already revolutionising the way warning messages are displayed overseas and is now available in New Zealand.

With the warning message inherent in the shape of the cone, these are a must for all situations where easy and quick recognition of warning signs is essential.

STAND OUT FROM THE BUNCH!

Features & Benefits

Printed on all four sides rather than two sides like traditional free standing warning signs

The banana peel being naturally associated with something slippery means that the warning cone also has a strong message inherent in the shape of the cone

 Easy stacking and durable plastic
 makes for ease of storage and long life

Wide sturdy base and weight of 910 grams ensures cone will not blow over if used outdoors

Patented, trademarked design ensures value for resellers



WARNING



BANANA PRODUCTS

*Also available as blank cones (code #VBC700) and with custom messages on request.

Code: VBC703

www.bananaproducts.co.nz

25

28cm

FLOOR SIGNS - FOLDING SIGNS



NARNING



VW7900 - Custom Sign from Blank Board above using your design & text







CAUTION

CAUTION

AUTION

RISK OF

ELECTRIC SHOCK

VW7920

VW7915











VW7923

CAUTION

AGRI

CHEMICALS

IN USE

VW7904

CAUTION

SLIPPERY

SURFACE

VW7909

VARNING

ANTI-SKID FLOOR GRAPHICS

Footpath signs are comprised of a Sturdy Plastic Base which can be water filled and a 4mm ACM sign blade, 600mm wide x 800mm High. They can be printed single or Double sided and can be reflective if required.

To order email your design to sales@in2safesigns.co.nz

Code: VF7901B




FOOTPATH SIGNS

Anti-skid Floor Graphics are for use when there is no space for conventional signage. They are supplied as a self adhesive sticker and have a very strong adhesive which will adhere to all regular floor surfaces including carpet. The surface is a non-slip and is suitable for high traffic areas. We can print any of the signage designs in this catalogue as Floor Graphics and also any custom Designs & Advertising as required.





DESIGN YOUR OWN CUSTOM SIGNS



Available in the following Sizes;

M - 200 x 150mm, A - 300 x 225mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm, Y - 1200 x 900mm. Available in the following Materials;

A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker).



VC7600

Available in the following Sizes;

H - 200 x 70mm, P - 400 x 150mm Available in the following Materials;

A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker).



Colour Picker for Backgrounds & Borders



TO ORDER: When placing your order please reference the product code off the opposing page followed by the letter to designate Size and then the letter to designate Material. The Size and Material options are noted next to the templates on the opposite page. Then note the Text that you require on the sign and the Text, Border & Background Colour using the Colour Picker above.

For example the custom 300x400mm PVC sign to the right would be specified as follows; VG7000BP - "This is an Example Custom Sign", Text 032, Border 070, Background 025.



Please Note: Our default Font is Arial Black and Capitals so all text will be printed in this Font, converted to Uppercase and centered Hozizontally & Vertically in the available space unless specifically requested otherwise. For alternative Fonts & Layouts please contact us via the contact details at the botton of this page.



GENERAL SIGNS - DOOR SIGNS

OFFICE	RECEPTION	MANAGER	TOILET	LADIES
VG7501	VG7503	VG7504	VG7526	VG7529
GENTLEMEN VG7530	VG7554	VG7555	REST A	SHOWER VG7527
SITE OFFICE	STORE ROOM	CAFETERIA	LUNCH ROOM	STAFF ROOM
VG7519		VG7556	VG7560	VG7561
STOCK ROOM	DISPATCH	CONFERENCE	STAIRWAY	ENQUIRES
VG7563	VG7520	ROOM	VG7558	VG7505
PRIVATE VG7502	RESERVED VG7506	NO ADMITTANCE VG7564	AUTHORISED PERSONNEL ONLY VG7567	STAFF ONLY VG7522
EMPLOYEES ONLY	QUARANTINE	EMPLOYEES	SUPERVISOR	KEEP DOOR
VG7523	VG7507	VG7559	VG7557	CLOSED
KEEP CLEAR AT ALL TIMES VG7508	PLEASE RING VG7524	PLEASE ENTER VG7528	NO SMOKING VG7566	RUBBISH VG7511
PARKING VG7533	VG7534	ACCESS &	ACCESS & >	VG7553
CUSTOMER	CUSTOMER	VISITOR	STAFF	RESIDENT
PARKING	PARKING ONLY	PARKING	PARKING	PARKING ONLY
VG7535	VG7536	VG7537	VG7538	VG7539

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. H - 200 x 70mm, P - 400 x 150mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 200 x 70mm PVC Sign code would look like VG7501HP

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776





TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 400 x 300mm PVC Sign code would look like VG7546BP

GENERAL SIGNS - INFORMATION



ETY SIGNAGE

20

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 400 x 300mm PVC Sign code would look like VG7580BP

GENERAL SIGNS - INFORMATION





TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VM7029BP



32

Hi Vis Vest with VISITOR Logo PCV1507-FLYE - Yellow PCV1507-FLOR - Orange

Available in the following Sizes XXXS , XXS, XS, S – 6XL & 8XL



Hi Vis Hard Hat with VISITOR Logo VGHH100-FLYE - Yellow VGHH100-BL - Blue VGHH100-WH - White

Visitor Hard Hat Stickers also available VHH7001



TO ORDER: When placing an order reference the product code followed by the letter to specify the size of the sign. T - 450 x 200mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 450 x 200mm PVC Sign code would look like VG7530TP







VG7701 2 Piece Sticker Set Self Adhesive Vinyl 150x75mm



VG7702 2 Piece Sticker Set Self Adhesive Vinyl 75x150mm



VG7703 2 Piece Sticker Set Self Adhesive Vinyl 150x75mm



VG7705 3 Piece Sticker Set Self Adhesive Vinyl Reversed for Inside Window Application 75x75mm



VW7007 Warning Sticker Self Adhesive Vinyl VW7007GS - 100x100mm VW7007LS - 150x150mm VW7007RS - 200x200mm VW7007VS - 295x295mm



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. M - 20 x 150mm, A - 300 x 225mm, B - 400 x 300mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 200 x 150mm SAV (Sticker) code would look like VG7750MS



SAFETY FIRST

YOUR SAFETY

COMES FIRST

VG7626

GENERAL SIGNS - RECYCLING



SAFETY FIRS

KEEP THIS WORK

AREA SAFE

VG7625

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VG7010BP



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 400 x 300mm PVC Sign code would look like VG7624BP

SAFETY

SAFETY IS


EVERYONE'S

RESPONSIBILIT

VG7624

FIK

GENERAL SIGNS - RECYCLING



SIGNAG

20

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), B - BVC (2mm Bigid BV)

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 400 x 300mm PVC Sign code would look like VG7658BP

GENERAL SIGNS - INFORMATION





TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 400 x 300mm PVC Sign code would look like VG7673BP



code followed by one of the following letters to specify the size of the sign. C - 600 x 450mm, D - 800 x 600mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material) P - PVC (2mm Rigid P Board), For Example a 800 x 600mm ACM Sign code would look like VC7525DA



VHB7015

Recycling Operations Site Hazard board

Designed to cover all Major Hazards these boards are 800x1200mm and are printed on **HIP Reflective for** maximum impact in an outdoor Multi-Hazard environment

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776

GENERAL SIGNS - NUMBERS & LETTERS



TO ORDER: When placing your order please reference the product code followed by one of the following letter Combinations to specify the Type of Material.

- A ACM (4mm Aluminium Composite Material)
- P PVC (2mm Rigid PVC Board)

2


- M- Magnetic (30MIL Automotive Grade Flexible Magnetic Material)
- SC SAV Clear (Clear Self Adhesive Vinyl Sticker)
- SW SAV White (White Self Adhesive Vinyl Sticker)
- CV Cut Vinyl Lettering (Cut Self Adhesive Vinyl Sticker with no background material)

Then specify the Colour of the letters using the 3 Digit number from the Colour picker. Note the combination & Quantity of Letters & Numbers you require in Brakets.

For Example the code for 2 of Number 3 & 2 of Letter A in 90x120mm Red Cut Vinyl Lettering would look like VG5CV032(2x3, 2xA)

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776





TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. C - 450 x 600mm, D - 600 x 800mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board). For Example a 450 x 600mm ACM Sign code would look like VHB7003CA or VHB7003CAWB with Whiteboard Laminate



VHB7001 - 1200 x 600mm on 4mm ACM

+ SAFETY RECORD +
LOST TIME INJURIES THIS MONTH
LOST TIME INJURIES THIS YEAR
DAYS SINCE LAST LOST TIME INJURY
PREVIOUS RECORD
SAFETY IS EVERYONE'S RESPONSIBILITY

VHS7000 - 1200 x 600mm on 4mm ACM

Safety record boads can also be ordered on 1.2mm Electro Galv Steel. This allows the use of Magnetic numbers for quick updates.

CODE: VHS7000ES

Compatible with our magnetic number set, CODE: VHSNUM set of 30 numbers, 3 of each 0-9.



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. D - 600 x 800mm, Y - 900 x 1200mm, Z - 1200 x 1600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board) Note: We do not recomend specifying signs any larger than 600 x 800mm in PVC as it becomes too flexible to transport and install without risking damage.

All Hazard Boards can also be specified printed on White Reflective for additional Night Time impact (add an R to the part number), and with Whiteboard Laminate finish (add WB to the part number). For more info on the benefits of Whiteboard Laminate see page 37.





H	HAZARDS ON SITE Site Address:								
	Key: E = Eliminate, M = Minimis	e							
DATE	HAZARD	E/M	CONTROL (S)						
	ALL Subcontractors are requi	red to li	st "High Risk" Hazards on this site board						

HAZARDS	ON SITE	Your Logo Or Company Details Here				
SITE HAZARDS CONTROLS REQUIRED						
Visitor / Contractors	Everyone must be inducted to this worksite					
Trips / Slips	Keep site tidy & walkways clear / use bins					
Electricity in use	Keep clear / tagged & tested leads & tools					
Ladders	Keep off / commercial grade / trained users					
Power & Hand Tools	ver & Hand Tools Keep clear / trained users only / wear PPE					
Falls from Height	Trained workers only / use fall protection					
Scaffold / Work Platforms	Authorised users only / if unsafe don't use					
Overhead Work	Keep clear / secure objects from falling					
ALL Subcontractors are required to list "High Risk" Hazards on this site board						



VHB7006

HAZARDS SPECIFIC TO THIS SITE							

VHB7012

STAFF ON SITE Site Address:						
Name	On Site	Off Site	Contact Number			

VHB7009

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. D - 600 x 800mm, Y - 900 x 1200mm, Z - 1200 x 1600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board) Note: We do not recomend specifying signs any larger than 600 x 800mm in PVC as it becomes too flexible to transport and install without risking damage.

All Hazard Boards can also be specified printed on White Reflective for additional Night Time impact (add an R to the part number), and with Whiteboard Laminate finish (add WB to the part number). For more info on the benefits of Whiteboard Laminate see page 37.

We can also print custom sized magnets for the Staff on site board (VHB7009) to allow easy recording of staff movements without the need to write and rewrite details. Please email us for a quote on this service. sales@panproducts.co.nz



2

/ SIGNAG





S

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776





1



HAZCHEM - STORAGE & TRANSPORT PANELS

1





VH7000

TO ORDER CUSTOM EMERGENCY INFORMATION PANELS : When placing your

order please reference the product code VH7000, followed by the letter to designate Size and then the letter to designate Material as explained in the Footer below. Then specify the Hazchem Code, UN Number and Chemical Name you require.

For example a custom 400x300mm PVC sign for Hydrochloric Acid would be specified in the following manner; VH7000BP, "2R, UN 1789, HYDROCHLORIC ACID"

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VH7015BP

HAZCHEM SIGNS - DG Labels

DANGEROUS DANGEROUS FLAMMABLE FLAMMABLE MISCELLANEOUS GOODS DANGEROUS GAS GAS GOODS DANGEROUS SUBSTANCES GOODS 2.1 2 9 9 VH7201 VH7223 VH7206 VH7218 VH7211 VH7246 W. MABLE NON-FLAMMABLE NON TOXIC GAS FLAMMABLE FLAMMABLE LIQUID **OXYGEN** LIQUID 3 3 VH7210 VH7227 VH7212 VH7219 VH7224 VH7209 Ŷ S 5 2 2 INFECTIOUS 6 OXIDISING ORGANIC SUBSTANCES TOXIC PEROXIDE TOXIC AGENT POISON 5.2 5.1 **VH7208 VH7233 VH7207** VH7213 VH7214 VH7241 RADIOACTIVE RADIOACTIVE RADIOACTIVE III CORROSIVE TOXIC GAS 7 7 8 VH7202 VH7234 VH7235 VH7232 VH7244 VH7203 1.4 1.5 EXPLOSIVE DANGER **EXPLOSIVE EXPLOSIVE EXPLOSIVE** EXPLOSIVE **EXPLOSIVES** 1.1 1.2G 1.4 VH7204 VH7205 VH7237 **VH7238** VH7226 VH7239 1.6 TRACK COTOXIC **VH7240** VH7236 VH7215 VH7222 VH7243 VH7228 For Steel Holder to suit 295x295mm ۵ DG signage see page 46 VH7500G


2

AFETY SIGNAGE

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. O - 75x75mm, G - 100x100mm, L - 150x150mm, R - 200x200mm, U - 250x250mm, V - 295x295mm, W - 400x400mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 295 x 295mm PVC Sign code would look like VH7212VP

HAZCHEM SIGNS - MISC





20





VH7500G

VH7505

VH7510




DIESEL TANK STICKERS





Diesel Container 5-24L VH7301 - SAV Sticker VH7301T - PVC Tag




VH7302 Diesel Tank Sticker - Ute Tanks

VH7300 UN3082 Emergency Response Information Card



Petrol Container 5-24L VH7305 - SAV Sticker VH7305T - PVC Tag



VH7303 Mobile Diesel Tank Sticker 25-450L

Ute Tanks & Trailer Tanks 25-450L require two of the above stickers, one on each side of the Tank



VH7306 Trailer Diesel Tank Sticker Over 2000L Each Tank requires 3 of these stickers & 1x VH7206 Misc Dangerous Goods DG label at 400x400mm



VH7307 - Stationery Farm Diesel Tank Sticker Over 1000L



HAZCHEM

^{___}1203

3YEI

VH7308 - Stationery Farm Petrol Tank Sticker Over 250L



VH7304

Trailer Diesel Tank Sticker 450-2000L Each Tank requires 3 of these stickers & 1x VH7206 Misc Dangerous Goods DG label at 400x400mm



VH7309 - Stationary Diesel Tank 1000-10000 Litres Capacity

HYGIENE & DISABILITY SIGNS



1



VH7803

DISABLED PARKING

VH7808

RAMP ACCESS

VH7816

VH7828





VH7809



VH7824

ADIES

VH7829





GENTLEMEN

VH7830



VH7810

GENTLEMEN

VH7802

VH7805





VH7806



VH7811



VH7825





VH7826



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. M - 150 x 200mm, A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 150 x 200mm PVC Sign code would look like VH7806MP



FETY SIGNAGE

HRI

VH7820

SHOWER

VH7822

VH7821



VH7819



VH7823



VH7827

HYGIENE & DISABILITY SIGNS



G

1

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. $O - 75 \times 75$ mm, $G - 100 \times 100$ mm, $L - 150 \times 150$ mm, $R - 200 \times 200$ mm, $Z - 300 \times 300$ mm, $W - 400 \times 400$ mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 100 x 100mm PVC Sign_code would look like VH7812GP______



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. N - 150 x 300mm, S - 200 x 400mm, J - 300 x 600mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 200 x 400mm PVC Sign code would look like VH7851SP

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776

sign. A - 300 x 225 mm, B - 400 x 300mm

VH7850BP

Then add a second letter as follows to specify the

material. A - ACM (4mm Aluminium Composite

Material), P - PVC (2mm Rigid PVC Board), S -


SAV (Self Adhesive Vinyl Sticker). For Example

a 300 x 400mm PVC Sign code would look like

MANDATORY SIGNS

2

50



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VM7029BP

MANDATORY SIGNS




20

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VM7038BP



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm


Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 400 x 300mm PVC Sign code would look like VM7506BP



TO ORDER: When placing an order reference the product code followed by the letter to specify the size of the sign. T - 450 x 200mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 450 x 200mm PVC Sign code would look like VG7530TP




NOTICE SIGNS



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VM7029BP

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VM7029BP

PROHIBITION SIGNS



20

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VP7007BP

PROHIBITION SIGNS

2



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VP7028BP



PROHIBITION SIGNS



TO ORDER: When placing an order reference the product code followed by the letter to specify the size of the sign. T - 450 x 200mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 450 x 200mm PVC Sign code would look like VP7503TP



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. M - 200 x 150mm, A - 300 x 225mm, B - 400 x 300mm, C - 600 x 450mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 400 x 300mm PVC Sign code would look like VP7512BP





VP7017



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. 0 - 75 x 75mm, G - 100 x 100mm, L - 150 x 150mm, R - 200 x 200mm, Z - 300 x 300mm, W - 400 x 400mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 100 x 100mm PVC Sign code would look like VP7017GP

SECURITY SIGNS AFETY SIGNAGE SMILE THESE PREMISES ARE THIS AREA IS THIS MINE SITE IS THIS BUILDING IS **SURVEILLANCE** YOU'RE ON UNDER 24 HOUR SURVEILLANCE UNDER 24 HOUR SURVEILLANCE UNDER 24 HOUR SURVEILLANCE PROTECTED BY VIDEO **CAMERAS IN USE** SURVEILLANCE **CAMERA!** VS7001 **VS7002 VS7003 VS7004 VS7005 VS7006** 24 HOUR VIDEO VIDEO SURVEILLANCE HIS PROPERTY IS UNDER 24 HOUR SURVEILLANCE SURVEILLANCE SMILE IN USE ON THESE SURVEILLANCE CAMERAS OPERATING PREMISES **IN THIS AREA VS7008** VS7007 VS7009 VS7010 VS7011

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VS7005BP



TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. M - 200 x 150mm, A - 300 x 225mm, B - 400 x 300mm, C - 600 x 450mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 400 x 300mm PVC Sign code would look like VP7512BP

TRAFFIC SIGNS - GENERAL



TY SIGNAGE

20

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VT7001BP

TRAFFIC SIGNS - GENERAL

1



VT7085

60

Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VT7010BP sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC

VT7038

VT7041


VT7053

VT7013

VT7010

of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm

TRAFFIC SIGNS - GENERAL



TY SIGNAGE

VT7069

20

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VT7071BP



10

ONE

WAY

15

PRINCE ST

NO STOPPING ANYTIME

Ľ

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776

NO STANDI



TO MARKER - LIGHTS ON

VW7023

WARNING SIGNS



AWARNING AWARNING AWARNING **AWARNING** AWARNING RISK OF FALL Don't give yourself OOS! ON ENTRY & EXIT APPROVED Nicro-pauseal Let go of your controls for about 10 seconds, overy 5 minutes or so, loosen up & shake your hands & arms At the same time stare at something a long distance away. **SERVICE BRAKE** HEARING NTAIN 3 POINTS inte son . . eaks, of about 2 minutes every about. e cab every hour, even if its only for a PROTECTION **MUST BE APPLIED** P OFI Take short bre arms & move a Got out of the minute or sol **BEWARE OF** AT ALL TIMES Don't over reach far any controls: adjust your seat so it is a close to the controls as possible. - Job rotations five somebody else a go on your machine, so can get cut of the cah more often MUST BE WORN IF NOISE **CHAIN SHOT** IN CAB EXCEEDS 85db VW7007 **VW7018** VW7019 VW7020 VW7024

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 225 x 300mm, B - 300 x 400mm, C - 450 x 600mm, D - 600 x 800mm

Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 300 x 400mm PVC Sign code would look like VT7010BP

WARNING SIGNS ETY SIGNAGE ARNING RNING WARNING RNING NARNING FORKLIFTS FORKLIFT LOW Y CAMERAS SEC MIND **OPERATING IN** REFUELLING YOUR STEP HEADROON **OPERATE IN THIS AREA THIS AREA AREA** VW7507 VW7503 VW7504 VW7505 VW7506 WARNING NARNING VARNING RNING VARNING **BEWARE OF KEEP BYSTANDERS AT** FORKLIFTS **OVERHEAD** НОТ **OPERATING IN A SAFE DISTANCE** VEHICLES IN SURFACE POWERLINES **THIS AREA AT ALL TIMES THIS AREA VW7508** VW7509 VW7510 VW7511 VW7512 WARNING VARNING VARNING WARNING RNING ON THIS SITE **WELDING ARC** LOGGING OPERATIONS NOTICE THIS IS A MULTIPLE HAZARD AREA WEAR TRIP 东 **IN PROGRESS** 10 SAFETY SHOES **DO NOT MULTIPLE HAZARDS** AZARD SLOW DOWN **IN THIS AREA** WATCH FOREST CLOSED TO PUBLIC ALL VISITORS MUST REPORT TO THE OFFICE VW7513 VW7514 VW7515 VW7516 VW7517

1

64

TO ORDER: When placing your order please reference the product code followed by one of the following letters to specify the size of the sign. A - 300 x 225 mm, B - 400 x 300mm, C - 600 x 450mm, D - 800 x 600mm Then add a second letter as follows to specify the material. A - ACM (4mm Aluminium Composite Material), P - PVC (2mm Rigid PVC Board), S - SAV (Self Adhesive Vinyl Sticker). For Example a 400 x 300mm PVC Sign code would look like VG7580BP




FORESTRY SIGNAGE



TO ORDER: When placing your order please reference the product code followed the following suffix to specify the Material of the Sign. A - ACM (Aluminium Composite Material), A2 - 2mm Aluminium . For Example an ACM sign code would look like VT7770KA2 Note: All these kits comprise two signs, 750x750mm Main & 950x500mm Supplementary signs. Drilled to suit Traffic Sign Stands.

SIGN MOUNTING SYSTEMS





KONGCRETE®

POST INSTALLATION KIT EASIER//QUICKER//LIGHTER THAN CONCRETE



IT'S AS EASY AS...







1 MIX 2 POUR 3 SET

KONGCRETE is a revolutionary new way to install Sign & Fence posts. It is an alternative to concrete that is lightweight, does not require water, sets in 3 minutes and is extremely easy to use!

Each kit contains two components, that are mixed together for approximately 30 seconds before pouring the mixed material into the hole.

KONGCRETE can be used to install many different types of posts such as fence and sign posts, road and construction signs, as well as mailboxes, sports posts and poles, flagpoles and garden light posts.

Click here to see a video of Kongcrete in action







FAQ's

What is Kongcrete?

Kongcrete is a revolutionary new way to install fence & sign posts. It is a high strength alternative to concrete that is lightweight, does not require water, sets in 3 minutes and is extremely easy to use.

Kongcrete is a hydrophobic two-part composite backfill that expands to fill the peripheral void between a fence or sign post and the hole. Kongcrete expands immediately after mixing and reaches 50% of full strength in approximately 3 minutes. In approximately 15-30 minutes Kongcrete will already be quite hard. Fences or gates can be installed after the product completely sets in approximately 2 hours.

Will Kongcrete absorb water?

Kongcrete is waterproof when cured so will not absorb water. Kongcrete will also stop the post from rotting or corroding by providing a barrier between the wood and the water/soil. Due to its fast setting nature, Kongcrete is rain proof in a few minutes.

Is Kongcrete environmentally safe?

Once cured, Kongcrete becomes an inert solid and will not harm soil or water.

Can another Kongcrete kit be used on the top of the first one if required?

Yes, once the first kit has fully expanded another kit can be used on top.

What it the correct temperature for using Kongcrete?

Kongcrete is best used at 18 C - 25 C and the kits need to be stored at this temperature range for at least two hours before using. At lower temperatures, the kits will take longer to set and will produce less volume. At higher temperatures, the kits will set much faster, lowering the working time and will produce a higher volume, weaker composite.

What hole diameter is required when setting 100 mm x 100 mm post using Kongcrete?

As with any size post being set with Kongcrete the hole only needs to be slightly larger than the post itself. As Kongcrete is a pourable liquid when mixed it is easy to pour into a small cavity unlike concrete which requires a larger hole meaning more effort and material.

What type of posts can Kongcrete be used with?

Kongcrete can be used with a range of post types including Wood, Metal, Aluminium, Concrete, Vinyl and PVC and adheres to them better than concrete.

What happens if Kongcrete expands over the top of the hole?

Once cured excess Kongcrete can be removed by cutting with a handsaw or shovel

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776

SAFETY SIGNAGE

SIGN MOUNTING SYSTEMS



sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776

SIGN MOUNTING SYSTEMS











2 **TEMPORARY TRAFFIC SIGNS** TRAFFIC SIGNAGE VT7750 VT7740 VT7751 VT7752 VT7754 VT7759L **VT7756** VT7758L 50 30 70 **VT7759R VT7760** VT7762 VT7764 ROAD CLOSED 100 80 10

VT7765

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776

VT7767

VT7768

VT7769

TRAFFIC SIGNAGE

TEMPORARY TRAFFIC SIGNS

×.



OVER DIMENSION SIGNAGE





Flouro Bungi Flag Code: PVF9025 - with Cords & Hooks Size: 400 x 300mm

Flouro Flag Code: PVF9067 - to fit over wooden Dowell Size: 400 x 300mm

Fluorescent Yellow Flags (at least 400x300mm must be attached to indicate the Over Dimension portion on all Category 1 Vehicles or Loads. These are suitable for Day use only. If travelling at night they must be replaced with Retro-reflective Hazard Panels as below.



Reflective Hazard Panels - Day/Night Use

Single Sided Left Hand Panel Single Sided Right Hand Panel Double Sided Panel

Size: 400 x 300mm

Code: VT7900SL Code: VT7900SR Code: VT7900D



RH

LH

Narrow Reflective Hazard Panels - Day/Night Use

Single Sided Left Hand Panel Single Sided Right Hand Panel Double Sided Panel

Code: VT7899SL Code: VT7899SR Code: VT7899D

Size: 200 x 400mm Material: ACM (4mm Aluminium Composite Material)

Material: ACM (4mm Aluminium Composite Material)

Retro-reflective Hazard Warning Panels with the dimensions as shown can be used on Category 1 & 2 Vehicles or Loads. These are suitable for Day or Night Use. Note: You must not display Hazard Warning Panels unless required to do so by the Vehicle Dimensions and Mass Rule.





Oversize Sign - Code: VT7901AA

Size: 1100 x 300mm Material: ACM (4mm Aluminium Composite Material) Suits: Day/Night Use



Over Sign - Code: VT7902AA

Size: 550 x 300mm Material: ACM (4mm Aluminium Composite Material) Suits: Day/Night Use



Size Sign - Code: VT7903AA

Size: 550 x 300mm Material: ACM (4mm Aluminium Composite Material) Suits: Day/Night Use



Oversize Sign - Code: VT7901AV

Size: 1100 x 300mm Material: Flexible PVC (Roll-up) Suits: Day only Use

Oversize Signs are required by the Vehicle Dimensions & Mass Rule on Vehicles or Loads over 3.1M Wide. They must only be displayed if required by the above Rule. These signs are suitable for both Category 1 & 2 Vehicles or Loads.





Pilot Vehicle/Wide Load Follows Double Sided Sign Code: VT7905AA

OVER DIMENSION SIGNAGE

Size: 1100 x 520mm Material: ACM (4mm Aluminium Composite Material) Suits: Day/Night Use

PILOT VEHICLE





Text	Code	Size	Material	Usage
PILOT VEHICLE	VT7904AAB	1100 x 520mm	ACM	Day / Night
DANGER SLOW DOWN	VT7906AA	1100 x 600mm	ACM	Day / Night
WIDE LOAD FOLLOWS	VT7907AA	1100 x 520mm	ACM	Day / Night
WIDE LOAD AHEAD	VT7908AA	1100 x 520mm	ACM	Day / Night
HOUSE FOLLOWS SIGN	VT7909AA	1100 x 520mm	ACM	Day / Night
HOUSE AHEAD SIGN	VT7909AA	1100 x 520mm	ACM	Day / Night
LONG LOAD FOLLOWS SIGN	VT7911AA	1100 x 520mm	ACM	Day / Night
LONG LOAD AHEAD SIGN	VT7912AA	1100 x 520mm	ACM	Day / Night
CRANE FOLLOWS SIGN	VT7913AA	1100 x 520mm	ACM	Day / Night
CRANE AHEAD SIGN	VT7914AA	1100 x 520mm	ACM	Day / Night



Red/Green 360mm Traffic Control Wands Code: VT7957



Stop/Slow Paddle Code: VT7851R

Size: 300mm OD 300mm Handle

Need more information on the NZ Over Dimension requirements?

Get a copy of fact sheet 53 off https://www.nzta.govt.nz/assets/ resources/factsheets/53/docs/53-overdimension.pdf • Phone 0800 OVERSIZE (0800 683 774)

Check out the NZTA website: www.nzta.govt.nz or email opia@nzta.govt.nz

This catalogue should not be used as a substitute for professional advice regarding your specific requirements.

TRAFFIC CONTROL



Stop/Go Paddle Code: VT7850R

Size: 450mm OD 1550mm Handle

NZTA Compliant Road Cones

RAFFIC SIGNAGE

Code: VT7851R

Size: 450mm (Compliant only for Road Marking)

Code: VT7851R

Size: 900mm

IN2SAFE TRAFFIC SIGNAGE

ED FLASHING BEACONS



Standard LED Beacon Code: VFB7000AM - 10-30V - Cig Plug & Mag Base Size: 85 x 90mm



Low Profile LED Beacon Code: VFB7001AM - 10-30V

- Cig Plug & Mag Base
- Size: 85 x 50mm



Large LED Beacon Code: VFB7002AM - 10-30V - Cig Plug & Mag Base Size: 125 x 135mm



Pole Mount LED Beacon Code: VFB7000AP - 10-30V - DIN Pole Mount Size: 85 x 180mm

TRAFFIC SIGNAGE

H

HPMV "H" Sticker Code: VT7920RS Size: 200 x 200mm Material: SAV (Self Adhesive)


HPMV "H" Sign Code: VT7920VP

HPMV & 0800 LOG TRUCK SIGNS

Size: 295 x 295mm Material: PVC (2mm Rigid PVC Plastic)

Code: VT7920VA

Size: 295 x 295mm Material: ACM (4mm Aluminium Composite Material)



Galvanised Holder Code: VH7500G Size: 295x295mm Material: Galvanised Steel Suits: HPMV "H" Signs

0800 LOGTRUCK TRUCK MC67

0800 Log truck Sticker Code: VT7930 (SAV) Sticker VT7930A (ACM) Sign

Size: 722x278mm



0800 Log truck Sticker Code: VT7931 (SAV) Sticker VT7931A (ACM) Sign

Size: 800x381mm



0800 LOGTRUCK **5**302

0800 Log truck Sticker Code: VT7932 (SAV) Sticker VT7932A (ACM) Sign

75

Size: 1000x100mm

TRANSPORT & MACHINE STICKERS

"SNALL" INTRODUCTION AND ADDR



Code: VT7922 Size: 500x250mm

2

DO NOT OVERTAKE Turning vehicle

Code: VT7923


Size: 500x250mm



Code: VT7503 Size: 450 x 200mm



Code: VT7921 Size: 300mm



RAFFIC SIGNAGE


For full details of your legal requirements consult the NZTA Website for DG Transport Requirements!





Square Self Adhesive Vinyl Stickers available in 4 sizes: Use the Below letters as a suffix on the code when ordering. GS - 100x100mm, LS - 150x150mm, RS - 200x200mm, VS - 295x295mm










LOCKOUT PADLOCKS



IN2SAFE Lockout Padlock - Key Management System

The IN2SAFE Lockout Padlocks come with both Keyed Different and Keyed Alike options, along with a Master key system. This allows a high level of customisation for complex lockout systems with Multi level access and a wide range of different Groups. See below for Diagrams of each Key option.

Keyed Different




Each Lock has only One Key. The Key does not open any other Locks. Ideal for Maximum Safety in High Risk applications. Only the Lock owner can remove the Lock with no risk of accidental removals.

Keyed Alike


Each Lock within a designated group takes the same Key. The Key will open all Locks within the Group. Multiple Groups can be set up with different keys. Ideal for situations where individuals need multiple padlocks. Requires careful Management to ensure no crossover of Keyed alike Padlocks between staff.

Keyed Alike with Master Key



Exactly the same principle as the standard Keyed Alike Locks, except there is a Master Key which will open all Groups. Also ideal for Plant Shutdown situations. A designated Supervisor has the ability to remove any locks left after the job is finished. Must be managed very carefully to minimise the risk associated with this type of system.

Keyed Different with Master Key



Exactly the same principle as the standard Keyed Different Locks, except there is a Master Key which will open all Locks in the Group. Ideal for Plant Shutdown situations. A designated Supervisor has the ability to remove any locks left after the job is finished. Must be managed very carefully to minimise the risk associated with this type of system.

SAFE LOCKOUT PADLOCKS





IN2SAFE Container Padlock

The IN2SAFE Container Padlocks have been specially designed to fit Shipping Container Lock Boxes to provide a secure and easy to use locking system. Locks are available in both Keyed Different & Keyed Alike sets.

VLP1000-KA (Keyed Alike) VLP1000-KD (Keyed Different)

IN2SAFE Lockout Padlock - Unique ID Systems

The IN2SAFE Lockout Padlocks can be specified with Custom Printed Labels. These labels can support a number of Variable Printed fields, including a Photo ID, Name, Mobile Number and any other relevant information to allow easy Identification. This can significantly reduce the time taken to resolve the issue of Padlocks left in place after the job is completed. Especially helpful in Planned shutdown situations where it is important to re-energise and re-start plant as quickly as possible.

Front View

Back View with Custom ID Label

UQUESTIC: COURSERS



79


LOCKOUT PADLOCKS

ELET NAME AND AND AND A

2



VLP700 - Standard Steel Shackle Padlock



Padlock Colour	Keyed Alike (KA) Padlock Code	Keyed Different (KD) Padlock Code	Master Key Code (Suits KA Padlocks)	Master Key Code (Suits KD Padlocks)
Red	VLP700-KA-RD	VLP700-KD-RD	VLP700-KA-RD-MK	VLP700-KD-RD-MK
Yellow	VLP700-KA-YE	VLP700-KD-YE	VLP700-KA-YE-MK	VLP700-KD-YE-MK
Green	VLP700-KA-GN	VLP700-KD-GN	VLP700-KA-GN-MK	VLP700-KD-GN-MK
Blue	VLP700-KA-BU	VLP700-KD-BU	VLP700-KA-BU-MK	VLP700-KD-BU-MK
Orange	VLP700-KA-OR	VLP700-KD-OR	VLP700-KA-OR-MK	VLP700-KD-OR-MK
Purple	VLP700-KA-PU	VLP700-KD-PU	VLP700-KA-PU-MK	VLP700-KD-PU-MK
Black	VLP700-KA-BK	VLP700-KD-BK	VLP700-KA-BK-MK	VLP700-KD-BK-MK
White	VLP700-KA-WH	VLP700-KD-WH	VLP700-KA-WH-MK	VLP700-KD-WH-MK

sales@in2safesigns.co.nz / www.in2safesigns.co.nz / 0508 726 776



OCKOUT PADLOCKS

VLP701 - Long Steel Shackle Padlock



Padlock Colour	Keyed Alike (KA) Padlock Code	Keyed Different (KD) Padlock Code	Master Key Code (Suits KA Padlocks)	Master Key Code (Suits KD Padlocks)
Red	VLP701-KA-RD	VLP701-KD-RD	VLP701-KA-RD-MK	VLP701-KD-RD-MK
Yellow	VLP701-KA-YE	VLP701-KD-YE	VLP701-KA-YE-MK	VLP701-KD-YE-MK
Green	VLP701-KA-GN	VLP701-KD-GN	VLP701-KA-GN-MK	VLP701-KD-GN-MK
Blue	VLP701-KA-BU	VLP701-KD-BU	VLP701-KA-BU-MK	VLP701-KD-BU-MK
Orange	VLP701-KA-OR	VLP701-KD-OR	VLP701-KA-OR-MK	VLP701-KD-OR-MK
Purple	VLP701-KA-PU	VLP701-KD-PU	VLP701-KA-PU-MK	VLP701-KD-PU-MK
Black	VLP701-KA-BK	VLP701-KD-BK	VLP701-KA-BK-MK	VLP701-KD-BK-MK
White	VLP701-KA-WH	VLP701-KD-WH	VLP701-KA-WH-MK	VLP701-KD-WH-MK

LOCKOUT PADLOCKS

N2SAFE LOCKOUT SYSTEMS

VLP702 - Standard Nylon Shackle Padlock

Padlock Colour	Keyed Alike (KA) Padlock Code	Keyed Different (KD) Padlock Code
Red	VLP702-KA-RD	VLP702-KD-RD
Yellow	VLP702-KA-YE	VLP702-KD-YE

** Dimensions & Specifications are the same as VLP700, apart from the Nylon Shackle for Non-Conductive Applications.



DANGER

LOCKED OUT

INOSAFE

DANGER

LOCKED OUT

INOSAFE

VLP702 - Standard Nylon Shackle Padlock

Padlock Colour	Keyed Alike (KA) Padlock Code	Keyed Different (KD) Padlock Code
Red	VLP703-KA-RD	VLP703-KD-RD
Yellow	VLP703-KA-YE	VLP703-KD-YE

** Dimensions & Specifications are the same as VLP701, apart from the Nylon Shackle for Non-Conductive Applications.

VLP704 - Steel Cable Padlock

Keyed Alike Code: VLP704-KA-RD Keyed Different Code: VLP704-KD-RD

- > 3mm Diameter Steel Cable
- > 150mm Cable Length

VLP705 - Economy Steel Short Shackle Padlock

Only available as Keyed Different!

Code: VLP704-KD-RD

- > 6mm Diameter Shackle
- > Shackle opening 20mm high x 20mm wide







LOCKOUT VALVES

Butterfly Valve Lock

Code	Size
VLV701-1	9.5-32mm (0.375-1.25")
VLV701-2	38-63.5mm (1.5-2.5")
VLV701-3	50-203mm (2-8")

The butterfly valve lock is made up from three parts as shown below.






Different ways to use a Butterfly Valve Lock














83

LOCKOUT VALVES



Gate Valve Lockout

Code	Size
VLV702-1	25-63.5mm (1-2.5")
VLV702-2	63.5-127mm (2.5-5")
VLV702-3	127-165mm (5-6.5")
VLV702-4	165-254mm (6.5-10")
VLV703-A	25-165mm (1-6.5") (universal size)

The gate valve lockout can be used in two different ways as shown below.






Example of how the gate valve lockout is used:



Ball Valve Lockout

Code	Size
VLV700-1	12.5-63.5mm (0.5-2.5")
VLV700-2	50-203mm (2-8")

Example of how theball valve lockout is used:





LOCKOUT HASPS

Steel Lockout Hasp

Code: VLH701-6-25 Size: 25mm

> 6 locks



Code: VLH701-6-38 Size: 38mm

> 6 locks



Code: VLH702-6-38 Size: 38mm

> 6 locks

Aluminium Lockout Hasp

Code: VLH703-6-38 Size: 38mm

> 6 locks

















LOCKOUT HASPS



Nylon Lockout Hasp

Code: VLH704-6-1 **Size:** 41.5 x 193mm

2

- > 6 locks
- > 6.5mm Shackle



Nylon Lockout Hasp

Code: VLH704-6-2 **Size:** 43 x 173mm

- > 6 locks
- > 6mm Shackle





Nylon Lockout Hasp

Code: VLH705-4-3 **Size:** 61 x 107mm

- > 4 locks
- > 3mm Shackle



DO NOT TOUCH

LOCAL

Nylon Lockout Hasp

Code: VLH705-4-6 Size: 61 x 107mm

- > 4 locks
- > 6mm Shackle



(ANGER

DO Not

TOUCH

AUT OCKED



ELECTRICAL LOCKOUT

Mini Circuit Breaker Lockout

Code: VLE700-IN

> Pin in



Mini Circuit Breaker Lockout

Code: VLE700-OUT

> Pin out



Example of how electrical lockouts pin in and pin out are used:









Mini Circuit Breaker Lockout

Code: VLE701-1 **Size:** 45 x 25 x 10mm

Mini Circuit Breaker Lockout

Code: VLE701-3 **Size:** 51 x 21 x 23mm





Mini Circuit Breaker Lockout

Code: VLE701-2 **Size:** 51 x 25 x 23mm

Mini Circuit Breaker Lockout

Code: VLE701-4 **Size:** 125 x 63 x 40m





Example of how electrical lockouts are used:







ELECTRICAL LOCKOUT

NO DE LA CARACTERIA DA CARACTE





Code: VLE702 **Size:** 97 x 95 x 170m

2



Universal Cable Lockout

Code: VLE703 **Size:** 3.5mm cable x 2.4m long

Bag Style Lockout


Code: VLE705 **Size**: 440 x 245mm Bag opening width 220mm

Adjustable Cable Lockout

Code: VLE704 Size: 6mm cable x 1.8m long

Pneumatic Lockout

Code: VLA700 **Size:** 6.4 x 9.5 x 12.7mm Suits 6.4mm, 9.5mm & 12.7mm male fittings











IN2SAFE LOCKOUT SYSTEMS

BAGS & KEY STATIONS

Lockout Belt Bag

Code: VLB700 **Size:**180 x 50 x 150

Lockout Carry Bag

Code: VLB701 **Size**: 310 x 200 x 23







Lockable Key Station

Code: VLK700

- > 30 key
- > Metal cabinet





Lockable Key Station

Code: VLK701

- > 80 key
- > Metal cabinet



LOCKOUT & PADLOCK STATIONS

2





